




# DF 22 NFPA

Depureco Industrial Vacuums USA


19121 Marketplace Avenue, Building 1, Suite 165  
Plum Creek Business Park • Kyle • TX 78640


[www.depurecousa.com](http://www.depurecousa.com)  
[info@depurecousa.com](mailto:info@depurecousa.com)



3 HP  
  
**POWER**


3800 in<sup>2</sup>  
  
**FILTER**

17/26 gal Bin  
  
**CAPACITY**



**OPTIONAL**  
H13 Absolute filter  
18.600 in<sup>2</sup>


**ELECTRICAL FAN**  
480V  
Max Airflow= 470 l589l 824 CFM



**ANT M**  
Antistatic star filter



3800 in<sup>2</sup>



**MANUAL SHAKER CLEANING SYSTEM**

Smart handle for shaking the filter aggressively to release dust.

**DETACHABLE STAINLESS STEEL CONTAINER**



17/26 gal



**ALL COMPONENTS ARE GROUNDED**

**GX**  
Stainless steel construction for Bin and vacuum chamber

**STAINLESS STEEL SUCTION ARM**


Articulated suction arm to extract airborne dust directly at the source



# SPEC SHEET

Motors   Type		<b>Units</b>	<b>DF 22</b>
Power			Fan
Voltage   Frequency		HP	3
Maximum vacuum		V/Hz	480/60
Maximum air flow		inH2O	13.8   13.8   13.8
Inlet		CFM	470   589   824
Noise level - (EN ISO 3744)		Ø in	3.94   4.72   5.90
Bin capacity		dB(A)	73
Dimensions		gal	17/26
Height		in	25.98 X 31.50
Weight		in	64
		lb	264
<b>Primary filter</b>			
Type			Star filter
Surface area   Diameter		in²   in	3800
(Class EN 60335-2-69)			M Class
Media			Antistatic Polyester
Filter cleaning			Manual
<b>Absolute filter (optional)</b>			
Surface area		in²	18,600
(Class - EN 1822)			H13
Media			Fiberglass

## SPARE FILTERS



**ANT M**  
Antistatic star filter

## OPTIONAL



**26 GAL**  
Bin with 26 gal capacity

## ACCESSORIES



**FLANGED CONE CONNECTION**