

CONTROLLED AIR DESIGN  
(800) 635-0298  
SALES@CONTROLLEDAIRDESIGN.COM



spacevac.us



SpaceVac High Level Cleaning Systems  
Illustrated Catalogue 2024

# SpaceVac: Keeping the World Cleaner!



Internal PRO 38mm in action

**Innovation. It's more than just a word - it's the very heartbeat of everything we do.**

Since our launch over a decade ago, the SpaceVac team have continued to develop and create a growing family of unique cleaning solutions - all focussed on saving our clients time and money. Our reputation for innovative solutions has seen some of the biggest companies in the world - from Tesla and Nike, to Facebook and Red Bull - trust SpaceVac for their toughest cleaning challenges.

As we enter 2024 - the range continues to develop with new 70mm [2.7"] system now available for heavy duty gutter cleaning, as well as brand new vacuum cleaning systems, new cleaning tools and accessories and our recently launched ATEX certified camera and monitoring system.

**Join us in our quest to keep the world working higher, faster and safer.**

**Tommie Nisula  
CEO, SpaceVac International**



## Contents

<b>4. Internal Cleaning Systems</b>	
• Internal PROTEX [38mm/1.5"]	6
• Internal Lite [38mm / 1.5"]	8
• Internal Pioneer [38mm / 1.5"]	10
• Internal Classic [38mm / 1.5"]	12
• Internal Pro [38mm / 1.5"]	14
• Internal Ultra [38mm / 1.5"]	16
• Explorer Camera system	18
• Internal Vacuums	20
• Spacesuit	22
• Museums add-on pack	23
• Floor & Under Racking Kits	24
• Internal accessories	26
• Pole Brackets & Caddies	26
<b>28. Specialist Cleaning Systems</b>	
• Atex Lite [38mm / 1.5"]	30
• Atex Pioneer [38mm / 1.5"]	32
• Atex Pro [38mm / 1.5"]	34
• Atex Pro [50mm / 2"]	36
• Atex Ultra [38mm / 1.5"]	38
• Ex-Plorer Camera System	40
• Specialist Vacuums	42
• Food Safe [38mm / 1.5"]	46
• Oven Kit	47
• Floor & Under Racking Kits	48
• Atex accessories	50
<b>52. External Cleaning Systems</b>	
• External PROTEX [50mm/2"]	54
• External LITE [50mm/2"]	56
• External CLASSIC [50mm/2"]	58
• External PRO [70mm/2.7"]	60
• UNIVERSAL [50mm/2"]	62
• External Vacuums	64
• External accessories	66



Connect with #TeamSpaceVac on Social Media:



# INTERNAL

## Cleaning Systems

SpaceVacs Internal cleaning range offers a selection of flexible cleaning solutions for the fast and safe removal of dirt and dust from high-level areas.

Ideal for use in:



Retail



Education



Leisure & Tourism



Warehouse & Logistics



Manufacturing



FM/BSC



Medical/Pharma




Energy & Construction

### Systems Available:

- Internal **PROTEX** [38mm/1.5"] Page 6
- Internal **LITE** [38mm/1.5"] Page 8
- Internal **PIONEER** [38mm/1.5"] Page 10
- Internal **CLASSIC** [38mm/1.5"] Page 12
- Internal **PRO** [38mm/1.5"] Page 14
- Internal **ULTRA** [38mm/1.5"] Page 16
- **Explorer** Camera Page 18
- Internal **Vacuums** Page 20
- **Spacesuit** Page 22
- **Museums** Add-on pack Page 23
- Under Racking & Floor kits Page 24
- Internal accessories Page 26
- Pole brackets & Pole caddies Page 26

"We saw great value in the **SpaceVac** High Level Cleaning System - since implementing SpaceVac in the field we have been able to uncover efficiencies that have allowed us to maximize our productivity."

**Sunshine Building Maintenance [USA]**



Our unique Internal PROTEX safe range of cleaning poles and tools have been specifically designed for use in extreme high-voltage areas where use of a regular SpaceVac would be prohibited.

Designed and manufactured here in the UK and tested and developed in collaboration with the University of Manchester, this new generation of SpaceVac poles and tools have been tested and independently certified as being capable of withstanding voltages up to 50,000v to enable operators to take our revolutionary high-level cleaning systems and put them to work in areas such as trackside, underground or working near overhead power lines.

Finished in an eye-catching red, the system is accessorised with a range of angled cleaning heads accessing different areas along with a range of non-conductive cleaning tools - all equipped with our unique safety locking mechanism.



Suggested Add-Ons:

ENDEAVOUR Internal Vacuums (Page 20)



Endeavour 2 Vacuum



Endeavour 3 Vacuum



Additional Heads & Tools (Page 26)



Explorer Camera System (Page 18)

About our INTERNAL PROTEX Poles:

- Appearance: High visibility red twill.
- Make up: Pre-impregnated glass composite material. Non-conductive and rated up to 50,000v.

SPACEVAC

PROTEX 38mm  
 Manufactured in Great Britain  
 Space Vac Approved and Insulation Category 0 Type  
 Tested to withstand in excess of 50kV AC 50Hz  
 Poles are not to be used for any other purpose

Higher. Faster. Safer.

Whats Included: Internal PROTEX 38mm / 1.5"



- Pole Length: 1.4m / 4ft 6"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Non Conductive Glass Fibre
- No of Poles enclosed: 6
- Enclosed Pole Length: 8.4m / 27ft
- Max Working Height: 9.4m / 30ft

PROTEX 38mm Pole Kit

Contains: 6 x cleaning poles, 1 x Padded pole bag



SV38/14-HV  
 6 x Voltage Resistant Poles  
 50mm [2"] x 1.4m [4ft 6"]



SV-PB  
 Padded pole bag

PROTEX 38mm Head Kit

Contains: 4 x cleaning heads, 4 x Brushes, 1 x Tool, 1 x Mesh bag



SV38/90H  
 90 Degree Cleaning Head



SV38/135H  
 135 Degree Cleaning Head



SV38/45H  
 45 Degree Cleaning Head



SV38/STR  
 Straight Head



SV/MB  
 1 x Mesh Bag



SV38/85W  
 Small Flexi Brush  
 200mm [8"]



SV38/SRB  
 Small Round Brush



SV38/FLT  
 Flat Surface Tool  
 300mm [12"]



SV38/15SW  
 Large Flexi Brush  
 380mm [15"]



SV38/12DB  
 Ducting Brush  
 300mm [12"]

PROTEX 38mm Hose Kit

Contains: 1x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SV38/HVHA  
 Voltage Resistant  
 Hose to Pole  
 Adaptor



SV38/5H  
 Anti Static Hose  
 5m / 16ft



SV38/50HC  
 Vac Inlet Cuff  
 50mm [2"]



SV/HB  
 Hose Bag

The SpaceVac LITE cleaning system is a low-cost entry level product for occasional use and cleaners only requiring a few metres of additional reach.

The ideal additional to your cleaning cart, the SpaceVac LITE is perfect for operators looking at add extra services to their business offering - or just improve existing cleaning routines. The system offers up to 4.75m [15ft] in reach making it ideal for cleaning single storey domestic and commercial properties.

Featuring our unique "safety locking mechanism" the SpaceVac LITE system comes with everything you need to begin removing high-level dust with your existing vacuum - including two specialist brushes. The system can also be used with a range of additional add-on tools to give users increased flexibility.



Suggested Add-Ons:

Endeavour Internal Vacuums  
[Page 20]



Endeavour 1 Vacuum



Endeavour 2 Vacuum



Additional Heads & Tools [Page 26]



Explorer Camera System [Page 18]

SPACEVAC LITE 38mm  
Manufactured in Great Britain



Caution - Clean Conductive Electricity  
First use in electrical rooms  
First overhead power line

Higher. Faster. Safer.

Whats Included: Internal Lite 38mm / 1.5"



- Pole Length: 1.25m / 4ft
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre
- No of Poles enclosed: 3
- Enclosed Pole Length: 3.75m / 12ft
- Max Working Height: 4.75m / 15ft

Lite Pole Kit

Contains: 3 x cleaning poles, 1 x Pole bag



SV38/125-LITE  
3 x Lite Cleaning Pole  
38mm (1.5") x 1.25m (4ft)



SV-LPB  
Lite Pole Bag

Lite Head Kit

Contains: 1 x cleaning head, 2 x Brushes



SV38/90H  
90 Degree Cleaning Head



SV38/85W  
Small Flexi Brush  
200mm (8")



SV38/SRB  
Small Round Brush



Lite Hose Kit  
Contains: Hose to pole adaptor

SV38/32HA  
Hose to pole Adaptor  
32mm (1.2")

Ideal for Use With:

The SpaceVac Lite is the ideal choice to clean using a backpack vacuum for maximum portability and manoeuvrability. Suitable ProTeam models can be supplied including:



Proteam GoFit 6



Proteam GoFit 10



Super Coach Pro 6



Super Coach Pro 10

- 153 CFM
- 6.6L capacity
- Four levels of filtration
- 2 HEPA media filters
- 91" static lift

- 153 CFM
- 11L capacity
- Four levels of filtration
- 2 HEPA media filters
- 91" Static lift

- 153 CFM
- 6.6L capacity
- Four levels of filtration
- 2 HEPA media filters
- 91" Static lift

- 153 CFM
- 11L capacity
- Four levels of filtration
- 2 HEPA media filters
- 91" Static lift


About our Internal LITE Poles:

- Appearance: Black glass
- Make up: 100% Black glass.
- Weight: 370 grams

Designed to fill the gap between our entry-level LITE system and the bigger, more powerful systems available elsewhere in the range, the SpaceVac PIONEER is a flexible cleaning solution suitable for a range of environments.

Reaching over 6m (21ft) in height from the safety of the ground floor, the PIONEER system has been designed for users looking for a little extra reach and functionality in their SpaceVac system - coming accessorised with additional cleaning heads and brushes, all featuring our unique safety locking mechanism to ensure the system stays securely in place while in use.

In addition - the PIONEER features a useful 'half' cleaning pole, giving users additional reach or the ability to extend the reach of brushes over obstacles to clean recessed ledges, tops of machinery and other areas.



Suggested Add-Ons:

Endeavour Internal Vacuums  
[Page 20]



Endeavour 1 Vacuum



Endeavour 2 Vacuum



Additional Heads & Tools [Page 26]



Explorer Camera System [Page 18]

About our Internal PIONEER Poles:

- Appearance: Black glass
- Make up: Standard modulus carbon, Black glass
- Weight: 350 grams

Whats Included: Internal Pioneer 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 3.5
- Enclosed Pole Length: 5.6m / 18ft
- Max Working Height: 6.6m / 21ft

Pioneer Pole Kit

Contains: 3 x cleaning poles, 1x Half cleaning pole, Padded pole bag



SV38/16-Pioneer  
3 x Pioneer Cleaning Pole  
38mm (1.5") x 1.6m (5ft 2")



SV38/08-Pioneer  
1 x Pioneer Half Cleaning Pole  
38mm (1.5") x 0.8m (2ft 6")



SV-PB  
Padded pole bag

Pioneer Head Kit

Contains: 3 x cleaning heads, 3 x Brushes



SV38/90H  
90 Degree Cleaning Head



SV38/135H  
135 Degree Cleaning Head



SV38/45H  
45 Degree Cleaning Head



SV38/FLT  
Flat Surface Tool  
300mm (12")



SV38/85W  
Small Flexi Brush  
200mm (8")



SV38/SRB  
Small Round Brush



See Page 7 for info on Backpack Vacuums!

Pioneer Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1 x Cuff, Hose bag



SV38/HA  
Hose to Pole Adaptor



SV38/3H  
Anti static Hose  
3m (10ft)



SV38/50HC  
Vac Inlet Cuff  
50mm (2")



SV/HB  
Hose Bag



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



SPACEVAC PIONEER 38mm



Caution: When Conducts Electricity in the use in electrical work. Please read the manual.

Higher. Faster. Safer.

Our best selling system - the SpaceVac Internal CLASSIC System provides operators with a safe and easy way to clean high-level areas up to 10m (32ft) high from the safety of the ground floor.

Designed and manufactured in the UK, the 38mm (1.5") CLASSIC pole, is made from a high grade 3K Carbon Fibre blend to deliver a durable but lightweight cleaning pole capable of delivering long last cleaning performance. Featuring our unique safety locking mechanism, the pole system interlocks to stay securely in place during operation - keeping operators safer.

Featuring 5.5 cleaning poles and a full compliment of 4 cleaning heads and 5 specialist tools and brushes, the CLASSIC system provides a versatile cleaning solution, that can even interconnect to create custom shapes and configurations for cleaning difficult to access areas



Suggested Add-Ons:

Endeavour Internal Vacuums  
(Page 20)



Endeavour 2 Vacuum



Endeavour 3 Vacuum



Spacesuit  
(Page 22)



Explorer Camera System  
(Page 18)

SPACEVAC CLASSIC 38mm



Higher. Faster. Safer.

SV38/CLASSIC

Whats Included: Internal Classic 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 5.5
- Enclosed Pole Length: 8.8m / 29ft
- Max Working Height: 9.8m / 32ft

Classic Pole Kit

Contains: 5 x cleaning poles, 1 x Half cleaning pole, Padded pole bag



SV38/16-Classic  
5 x Classic Cleaning Pole  
38mm (1.5") x 1.6m (5ft 2")

SV38/08-Classic  
1 x Classic Half Cleaning Pole  
38mm (1.5") x 0.8m (2ft 6")

SV-PB  
Padded pole bag

Classic Head Kit

Contains: 4 x heads, 5 x brushes, Mesh bag



SV38/90H  
90 Degree Cleaning Head



SV38/135H  
135 Degree Cleaning Head



SV38/45H  
45 Degree Cleaning Head



SV38/STR  
Straight Head



SV/MB  
1 x Mesh Bag



SV38/85W  
Small Flexi Brush  
200mm (8")



SV38/SRB  
Small Round Brush



SV38/FLT  
Flat Surface Tool  
300mm (12")



SV38/15SW  
Large Flexi Brush  
380mm (15")



SV38/12DB  
Ducting Brush  
300mm (12")

Classic Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1x Cuff, Hose bag



SV38/HA  
Hose to Pole Adaptor



SV38/5H  
Anti static hose  
5m (16ft)



SV38/50HC  
Vac Inlet Cuff  
50mm (2")



SV/HB  
Hose Bag



See More:  
Scan to watch our explainer animation.



Offering additional reach and durability - the SpaceVac Internal PRO System helps advanced users and teams looking for extra reach to unlock increasing heights of up to 15m.

The **PRO** system offers this increased reach by utilising a high grade 4K Carbon Fibre blend which both reduces weight and flex - allowing poles to stack higher whilst remaining both comfortable and easy to operate.

Featuring 7.5 cleaning poles and a selection of 4 cleaning heads and 5 specialist tools and brushes, the **PRO** system provides a versatile cleaning solution, that can even interconnect to create custom shapes and configurations for cleaning difficult to access areas!



Suggested Add-Ons:

Endeavour Internal Vacuums (Page 20)



Endeavour 2 Vacuum



Endeavour 3 Vacuum



Spacesuit (Page 22)



Explorer Camera System (Page 18)

About our Internal Pro Poles:

- **Appearance:** Plain carbon main body with 2x2 ground twill finish on male end.
- **Make up:** Standard modulus carbon, 3k 2x2 twill carbon.
- **Weight:** 298 grams

SPACEVAC PRO 38mm



Higher. Faster. Safer.

Whats Included: Internal Pro 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 7.5
- Enclosed Pole Length: 12m / 39ft
- Max Working Height: 13m / 42ft

Pro Pole Kit

Contains: 7 x cleaning poles, 1x Half cleaning pole, Padded pole bag



SV38/16-Pro  
7 x Pro Cleaning Pole  
38mm (1.5") x 1.6m (5ft 2")



SV38/08-Pro  
1 x Pro Half Cleaning Pole  
38mm (1.5") x 0.8m (2ft 6")



SV-PB  
Padded pole bag

Pro Head Kit

Contains: 4 x heads, 5 x brushes, Mesh bag



SV38/90H  
90 Degree Cleaning Head



SV38/135H  
135 Degree Cleaning Head



SV38/45H  
45 Degree Cleaning Head



SV38/STR  
Straight Head



SV/MB  
1 x Mesh Bag



SV38/85W  
Small Flexi Brush  
200mm (8")



SV38/SRB  
Small Round Brush



SV38/FLT  
Flat Surface Tool  
300mm (12")



SV38/15SW  
Large Flexi Brush  
380mm (15")



SV38/12DB  
Ducting Brush  
300mm (12")

Pro Hose Kit

Contains: 1 x Hose, 1 x Adaptors, 1 x Cuff, 1 x Hose bag



SV38/HA  
Hose to Pole Adaptor



SV38/5H  
Anti static hose  
5m (16ft)



SV38/50HC  
Vac Inlet Cuff  
50mm (2")



SV/HB  
Hose Bag



See More:

Scan to see how quickly and easily SpaceVac can be deployed onsite.



Designed to cater for professional users need to clean up to 20m in height, the SpaceVac ULTRA is our most durable, lightweight cleaning system yet.

Interlocking using our safety locking mechanism, the **ULTRA** system offers our most rigid cleaning pole yet to ensure a system that is both safe and comfortable to operate at increasing heights. Manufactured in the UK, the poles are made from a high performance 12k Carbon weave to offer unmatched durability in our lightest ever cleaning pole.

Featuring 9.5 cleaning poles and a full compliment of 4 cleaning heads and 5 specialist tools and brushes, the **ULTRA** system provides a versatile cleaning solution, proves that when it comes to innovative cleaning solutions - the sky is never the limit!



Suggested Add-Ons:

Endeavour Internal Vacuums  
[Page 20]



Endeavour 2 Vacuum



Endeavour 3 Vacuum



Spacesuit  
[Page 22]



Explorer Camera System  
[Page 18]

SPACEVAC  
 ULTRA  
 38mm  
 Manufactured in Great Britain  
 Caution: Unless otherwise specified, to be used in accordance with the manufacturer's instructions.  
 Higher. Faster. Safer.

Whats Included: Internal Ultra 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 9.5
- Enclosed Pole Length: 15m / 49ft
- Max Working Height: 16m / 52ft

Ultra Pole Kit

Contains: 9 x cleaning poles, 1x Half cleaning pole, 1 x Padded pole bag



SV38/16-Ultra  
9 x Ultra Cleaning Pole  
38mm [1.5"] x 1.6m [5ft 2"]

SV38/08-Ultra  
1 x Ultra Half Cleaning Pole  
38mm [1.5"] x 0.8m [2ft 6"]

SV-PB  
Padded pole bag

Ultra Head Kit

Contains: 4 x Heads, 5 x Brushes, 1 x Mesh bag



SV38/90H  
90 Degree Cleaning Head



SV38/135H  
135 Degree Cleaning Head



SV38/45H  
45 Degree Cleaning Head



SV38/STR  
Straight Head



SV/MB  
1 x Mesh Bag



SV38/85W  
Small Flexi Brush  
200mm [8"]



SV38/SRB  
Small Round Brush



SV38/FLT  
Flat Surface Tool  
300mm [12"]



SV38/15SW  
Large Flexi Brush  
380mm [15"]



SV38/12DB  
Ducting Brush  
300mm [12"]

Ultra Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1 x Cuff, 1 x Hose bag



SV38/HA  
Hose to Pole Adaptor



SV38/5H  
Anti static hose  
5m [16ft]



SV38/50HC  
Vac Inlet Cuff  
50mm [2"]



SV/HB  
Hose Bag



See More:  
Scan to watch the SpaceVac Ultra system break a world record!





# Explorer Camera & Monitoring System



Our new range of Explorer Camera systems feature market leading specifications in a durable, simple to use package.

Featuring an impressive 9 hour battery life as well as a full 360 degree rotation, the Explorer camera offers users the ability to monitor and evidence cleaning work in real time with high quality streaming video or 10mp still photographs.

### Specifications:

- Stills: 12mp
- Records At: 1080p HD
- Battery Life: 9 hours
- Waterproof: Yes
- Waterproof Connections: Yes
- Low Light Mode: Yes
- Compatible with other devices: Yes
- Remote Access Mode: Yes

The camera broadcasts live to the dedicated Explorer monitor and can also be viewed via a free iPhone or android app or via remote stream anywhere in the world!

**Also available** - ATEX  plorer, an ATEX certified version for users operated in ATEX/C2D2 combustibile environments. See page 40 for more information!

### SVCAM/EXPLORER-KIT - Explorer Camera & Monitoring System

					
<b>SVCAM-EXPLORER</b> Waterproof Explorer Camera	<b>SVCAM-OBSERVER</b> Phone Monitor	<b>SVCAM-CLAMP</b> 2 x Camera and Monitor Tube Clamp	<b>SVSCREEN-MOUNT</b> Screen Mount	<b>SV/CB</b> Camera Bag	<b>SV/QRC</b> Camera and monitor Quick Release Clip

### Camera Accessories


Increase the functionality and reach of your Explorer Camera system\* with a range of add-on products:

		
<b>SVCAM-FLEXIHOLD</b> Flexible neck Bracket	<b>SV/IP35</b> Telescopic Inspection Pole 10.5m [35ft]	<b>SV/IP55</b> Telescopic Inspection Pole 16.5m [55ft]



\* Not tested for use in ATEX areas - not to be used in conjunction with EX-plorer ATEX Camera system.

# ENDEAVOUR Internal Vacuums



Built to work. Built to last.

## INTERNAL Vacuums

**ENDEAVOUR** a range of industrial vacuums for the removal of dust, dirt and contaminate from internal areas such as walls, ceiling, vents, pipework and more.

Featuring powerful airflow and market leading filtration systems, the **ENDEAVOUR** range of vacuums have been designed to provide the perfect vacuum to obtain the best performance from our carbon REACH systems.

### Key Features:

- » Powerful cleaning performance
- » Market leading filtration
- » Compact and mobile
- » Easy to handle
- » Durable steel construction
- » Easy to clean and maintain



Endeavour 1



Endeavour 2



Endeavour 3

Specifications		Endeavour 1	Endeavour 2	Endeavour 3
Voltage	V - Hz	110	110	110
Power	kW	1.15	2.3	2.3
Amps	A	8	16	18
Max air flow	m <sup>3</sup> /h / CFM	180 / 105	360 / 212	480 / 283
Suction inlet	mm	50	80	80
Noise level [EN ISO 3744]	dB[A]	74	76	76
Tool Holders		No	38mm	38mm

## Key Sectors:

-  Retail ✓
-  Education ✓
-  Leisure & Tourism ✓
-  Transport and Logistics ✓
-  Manufacturing ✓
-  FM/BSC ✓
-  Healthcare & Pharma ✓
-  Energy & Construction ✓

Including: Schools, Colleges, Shopping malls, Libraries, Museums, Airports, Train stations, warehouses, cinemas, theaters, arenas, hotels, theme parks, Hospitals and more.



The Spacesuit is a unique, ergonomically designed support to help make use any SpaceVac system even easier to use!

Built around a lightweight but durable plastic support, the Spacesuit works by spreading the weight of the SpaceVac system equally across the full length and width of users shoulders and spine.

Spreading the weight in this manner helps to make the system lighter and thus more comfortable to work with over long cleans or when cleaning above 10m.

Accessorised with a set of innovative prismatic glasses to avoid neck strains from looking upwards for prolonged periods.


**SV/Spacevac-Bundle  
Spacesuit Bundle**



SV/SS  
SpaceVac Spacesuit



SV/PG  
Prismatic Glasses



SpaceVac presents a range of dedicated tools and accessories for cleaners dealing with delicate items in museums, galleries and historic landmarks.

Cleaning in such areas often requires specialist equipment to ensure that cleaning work does not damage artefacts and so our Museums add-on pack features a range of soft-touch brushes to provide a range of non-abrasive options.

Compatible with any SpaceVac internal cleaning system, the pack also features a unique micro-brush pack and adaptor for detail cleaning.



**SV/MK- SpaceVac Museums Kit**

Contains: 2 x Brushes, 1 x Micro tool kit, 1 x Mesh bag



SV38/SHHB  
Small Round Horse  
Hair Brush (Soft)



SV38/GHB  
Small Goat Hair  
Brush (Very Soft)



SV/MTK  
8 Piece Micro Tool Kit  
[Inc 38mm/1.5" Hose  
Adaptor And Bag]



SV/MB  
Mesh Bag



## Because not all dust settles above head height!

In addition to our range of high level cleaning systems, SpaceVac also presents a range of handy solutions for the easy removal of dirt and dust from low-level areas such as floors and underneath the kinds of built in racking, conveyor belts and machinery often found in warehousing, manufacturing and processing facilities.

This method of cleaning horizontally with SpaceVac is made possible by our interlocking safety locking mechanism which keeps all elements of the system firmly in place during operation, ensuring no chance of separation and equipment being lost under racking and machinery.

## Under Racking Kits:

### SV38/URKIT- 38 mm / 1.5" Under Racking kit

Contains: 1 x Cleaning Pole, 1 x Half Pole, 2 x Heads, 1 x Tool, 1 x Adaptor



SV38/16-PIONEER  
Pioneer Pole  
38mm [1.5"] x 1.6 m [5ft 2"]



SV38/08-PIONEER  
Pioneer Half Pole  
38mm [1.5"] x 0.8m [2ft 6"]



2 x SV38/45H  
2 x 45 Degree  
Cleaning Head



SV38/FLT400-HDNS  
Heavy Duty Floor  
Tool\*\* [non swivel]  
400mm / 14"



SV38/HA  
Conductive Hose to  
Pole Adaptor

### SV50/URKIT - 50mm [2"] 50 mm Under Racking kit

Contains: 1 x Cleaning Pole, 1 x Half Pole, 2 x Heads, 1 x Tool, 1 x Adaptor



SV50/16-CLASSIC  
Classic Pole  
50mm [2"] x 1.6m [5ft 2"]



SV50/08-CLASSIC  
Classic half pole  
50mm [2"] x 1.6m [2 ft 6"]



2 x SV50/45-MFPA  
Male to Female Pole  
Adaptor  
50mm / 2"



SV50/FLT400-HDNS  
Heavy Duty Floor Tool  
[non swivel]  
400mm [14"]



SV50/HA  
Pole to Hose  
Adaptor  
50mm [2"]

## Floor Kits:

### SV38/FL-KIT - 38mm [1.5"] Internal Floor Kit

Contains: 1 x Pole, 1 x head, 1 x Tool, 1 x Adaptor



SV38/125P-STR  
Strengthened Carbon Pole  
38mm [1.5"] x 1.25m [4ft 2"]



SV38/45H  
45 Degree Cleaning  
Head



SV38/FLT400-HD  
Heavy Duty Floor  
Tool  
400mm [14"]



SV38/HA  
Hose to pole  
Adaptor  
38mm / 1.5"

### SV50/FL-KIT- 50mm Internal Floor Kit

Contains: 1 x Pole, 1 x head, 1 x Tool, 1 x Adaptor

**\$1,465.37**



SV50/125P-STR  
Strengthened Carbon Pole  
50mm [2"] x 1.25m [4ft 2"]



SV50/45-MFPA  
Male to Female Pole  
Adaptor



SV50/FLT400-HD  
Heavy Duty Floor  
Tool  
400mm [14"]



SV50/HA  
Hose to Pole  
Adaptor  
50mm / 2"



## Internal Accessories

SpaceVac presents a range of accessories and add-on tools to increase the flexibility and functionality of SpaceVac and allow for the cleaning of specific areas.



## Pole Bracket

SpaceVac's wall/floor mounted pole/tool holder designed to be used with central vacuum systems.

The pole bracket is perfect for storing poles/tools near to any vacuum inlet point. Where more holders are required simply add another bracket. Take your central vacuum system to new heights.

### Pole Bracket Features:

- Heavy duty steel construction
- Powder coated in safety yellow
- 4x 38mm/50mm holders

### Pole Bracket Applications:

- Central vacuum systems
- Storage cupboards

Internal and conductive ATEX version available!

### SV38/50/FLBR

Floor mounted Pole & Tool Holder

### SV38/50/WLBR

Wall mounted Pole & Tool Holder



## Pole Caddy

SpaceVac REACH all area's systems can be added to any suitable commercial or industrial vacuums.

Whilst this solution won't benefit from our unique on board pole and tool holders you can still store your accessories on our robust carry systems, ensuring that pole assembly is easy, fast and safe.

Pole storage is also off the ground removing a dangerous slip/trip hazard

### Pole Caddy Features:

- Heavy duty steel construction
- Powder coated in safety yellow
- 12x 38mm [1.5"] / 50mm [2"] holders
- Centre storage area
- 4 easy roll castors with 2 lockable safety wheels
- Available in 38mm [1.5"] and 50mm [2"] versions.

Internal and conductive ATEX version available!

### SV38/50/CADDY

Pole & Tool Caddy



### Pole Caddy Applications:

- For use with smaller SpaceVac vacuums that do not have our pole/tool holders fitted as standard. Also ideal for other manufacturers commercial/industrial vacuums
- General storage of additional poles and accessories.
- And for our domestic and international distribution partners the Pole Caddy is perfect to use as an Exhibition or showroom display stand.



## Book a Free Presentation Today!

A free presentation is the best way of understanding a SpaceVac system and the impact it could make on your cleaning and FM regimes.

Call us today on 561-542-0065 to book a free presentation or scan the QR code:



# SPECIALIST

## Cleaning Systems

SpaceVacs Specialist cleaning range delivers a fully conductive suite of systems certified as safe for use removing combustible dust and waste materials from ATEX certified environments.

Ideal for use in:



Retail



Education



Leisure & Tourism



Warehouse & Logistics



Manufacturing



FM/BSC



Medical/Pharma



Energy & Construction

### Systems Available:

- ATEX Lite [38mm/1.5"] Page 30
- ATEX Pioneer [38mm/1.5"] Page 32
- ATEX Pro [38mm/1.5"] Page 34
- ATEX Pro [50mm/2"] Page 36
- ATEX Ultra [38mm/1.5"] Page 38
- Ex-plorer Extreme Camera System Page 40
- Specialist Vacuums Page 42
- Food Safe [38mm / 1.5"] Page 46
- Oven Kit Page 47
- Floor & Under Racking Kits Page 48
- ATEX Accessories Page 50

"Significant benefits in both safety and cost savings. Introducing Spacevac reduced the manpower needed to complete our cleaning work and also did not require any platforms, which realised an excellent cost saving for us."

RPC Plastics [UK]




Tested and certified to ATEX standards, our ATEX LITE Cleaning System is a perfect introductory system for occasional users and operators cleaning at low levels in combustible areas.

Recognising that not all specialist atmospheres have to be huge spaces, the LITE system has been developed for entry level users and teams with occasional cleaning requirements above head height.

Made of 100% Carbon and held in place during operation with our unique safety locking mechanism, the LITE system is accessorised with a number of cleaning tools and angled cleaning heads to provide options for quickly and easily removing combustible waste up to 5m in height.

The system allows for fast and efficient cleaning of walls, ceilings, vents, ducting, pipework and other areas where dust can settle above eye level.



**Suggested Add-Ons:**

**TITAN ATEX Vacuums**  
[Page 42]



**Titan 1**  
Vacuum



**Titan 2**  
Vacuum



**Additional Heads & Tools** [Page 50]



**Ex-plorer Camera System** [Page 40]

SPACEVAC  
ATEX LITE  
38mm  
Higher. Faster. Safer.

**SVA38/EX-LITE**

**Whats Included: ATEX Lite 38mm / 1.5"**



- Pole Length: 1.25m / 4ft"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 3
- Enclosed Pole Length: 3.75m / 12ft
- Max Working Height: 4.75m / 15ft

**ATEX Lite Pole Kit**

Contains: 3 x cleaning poles, 1 x Pole bag



**SVA38/125-LITE**  
3 x Conductive Lite Cleaning Poles  
38mm [1.5"] x 1.25m [4ft]



**SV/LPB**  
Lite Pole Bag

**ATEX Lite Head Kit**

Contains: 2 x Cleaning heads, 2 x Brushes, 1 x Mesh bag



**SVA38/90H**  
Conductive 90 Degree Head



**SVA38/45H**  
Conductive 45 Degree Head



**SVA38/FLT**  
Conductive Flat Surface Tool  
300mm / 12"



**SVA38/SRB**  
Conductive Small Round Brush



**SV/MB**  
1 x Mesh Bag

**ATEX Lite Hose Kit**

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, Hose bag



**SV38/HA**  
Hose to Pole Adaptor



**SVA38/5H**  
Conductive Hose  
5m / 15ft



**SVA38/50HC**  
Conductive Hose to Vac Inlet Cuff



**SV/HB**  
Hose Bag



**See More:**

Scan to see the SpaceVac system in action on our Youtube channel.

**About our ATEX LITE Poles:**

- **Appearance:** Full 2x2 Twill finish, including ground male section.
- **Make up:** Standard Modulus Carbon, 3K 2x2 twill carbon
- **Weight:** 232 grams

**Conductive and Anti-Static Accessories Available**

See page 50 for a full range of add-on tools and brushes to expand the reach and functionality of your SpaceVac system!

The ATEX Pioneer has been specifically launched to fill a niche in the specialist cleaning space.

The system was designed to sit in the SpaceVac range between our entry level LITE system and the more advanced heavy duty products elsewhere in the line such as our PRO and ULTRA lines and is all manufactured in fully conductive 100% Carbon.

Tested and certified to Atex standards, the PIONEER offers operators 20ft of reach from the safety of the ground floor, allowing operators to safely remove combustible materials such as wood, flour or paper from above head height.

Secured in place with our unique safety locking mechanism, the PIONEER system is fully provisioned with a range of cleaning accessories and tools, with the ability to add a range of additional conductive and anti-static tools for meeting additional cleaning challenges.



Suggested Add-Ons:

TITAN ATEX Vacuums  
(Page 42)



Titan 1 Vacuum



Titan 2 Vacuum



Additional Heads & Tools (Page 50)



Ex-plorer Camera System (Page 40)

SPACEVAC  
 CE  
 ATEX PIONEER  
 38mm  
 UK  
 Higher. Faster. Safer.

SVA38/EX-PIONEER

Whats Included: ATEX Pioneer 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 3.5
- Enclosed Pole Length: 5.6m / 18ft
- Max Working Height: 6.6m / 21ft

ATEX Pioneer Pole Kit

Contains: 3 x cleaning poles, 1x Half cleaning pole, 1 x Padded pole bag



SVA38/16-PIONEER  
3 x Pioneer Conductive Cleaning Pole  
38mm (1.5") x 1.6m (5ft 2")



SVA38/08-PIONEER  
1 x Pioneer Conductive Half Pole  
38mm (1.5") x 0.8m (2ft 6")



SV-PB  
Padded pole bag

ATEX Pioneer Head Kit

Contains: 3 x Cleaning heads, 1 x Brush, 2 x Tools, 1 x Mesh bag



SVA38/90H  
Conductive 90 Degree Head



SVA38/45H  
Conductive 45 Degree Head



SV38/135H  
1 x 135 Degree Cleaning Head



SVA38/FLT  
Conductive Flat Surface Tool  
300mm / 12"



SVA38/SRB  
Conductive Small Round Brush



SVA38/CT  
Crevice Tool



SV/MB  
1 x Mesh Bag

ATEX Pioneer Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SV38/HA  
Conductive Hose to Pole Adaptor



SVA38/5H  
Conductive Hose  
5m / 15ft



SVA38/50HC  
Conductive Hose to Vac Inlet Cuff  
38mm(1.5")-50mm(2")



SV/HB  
Hose Bag



See More:

Scan to see how quickly and easily SpaceVac can be deployed onsite.



Our ATEX cleaning poles were a world first when they first entered the combustible market in 2016.

Developed in response to a number of deadly incidents involving the use of incorrect cleaning equipment in explosive atmospheres, SpaceVac sought to engineer a system safe for use in these specialised environments.

Manufactured to the highest standards right here in the UK - our ATEX PRO poles are made from 100% Carbon and are tested and certified to ATEX standards.

The system is fully accessorised with a range of conductive and anti-static accessories for flexible cleaning options as well as a range of angled cleaning heads for accessing difficult to reach spots.



Suggested Add-Ons:

TITAN ATEX Vacuums  
(Page 42)



Titan 2 Vacuum



Titan 2LP Vacuum



Food Safe Add-on pack (Page 46)



Ex-plorer Camera System (Page 40)

SPACEVAC  
Higher. Faster. Safer.

SVA38/EX-PRO

Whats Included: ATEX Pro 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 5.5
- Enclosed Pole Length: 8.8m / 29ft
- Max Working Height: 9.8m / 32ft

ATEX Pro 38mm Pole Kit

Contains: 5 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SVA38/16-Pro  
5 x Conductive Pro Cleaning Pole  
38mm (1.5") x 1.6m (5ft 2")



SVA38/08-Pro  
1 x Conductive Pro Half Pole  
38mm (1.5") x 0.8m (2ft 6")



SV-PB  
Padded pole bag

ATEX Pro 38mm Head Kit

Contains: 4 x cleaning heads, 3 x Brushes, 1 x Tool, 1 x Mesh bag



SVA38/90H  
Conductive 90 Degree Head



SVA38/45H  
Conductive 45 Degree Head



SV38/135H  
Conductive 135 Degree Head



SVA38/STR  
Conductive Straight Cleaning Head



SV/MB  
1 x Mesh Bag



SVA38/FLT  
Flat Surface Tool  
300mm / 12"



SVA38/4PB  
Small Pipe Brush  
100mm / 8"



SVA38/CT  
Crevice Tool



SVA38/LRB  
Conductive Large Round Brush

ATEX Pro 38mm Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SVA38/HA  
Conductive Hose to Pole Adaptor



SVA38/5H  
Conductive Hose  
5m / 15ft



SVA38/50HC  
Conductive Hose to Vac Inlet Cuff  
38mm(1.5")-50mm(2")



SV/HB  
Hose Bag



See More:

Scan to watch our explainer animation video.



Designed for users operating in more demanding cleaning environments, our 50mm (2") ATEX PRO cleaning poles offer a durable cleaning solution for specialist operators.

Developed in response to customer demand from operators who were cleaning in extreme heavy duty environments, our 2" cleaning poles offer an increased operating diameter to users, to increase airflow when cleaning at height - even when removing heavy duty blockages such as sawdust, wood shavings or metal filings.

Engineered to the highest standards in the UK - these wider diameter 50mm (2") poles are manufactured to a high grade 100% carbon formula right here in our brand new U.K manufacturing facility - and are equipped with our dual button safety locking mechanism for continuous internal connection and total operator safety.



**Suggested Add-Ons:**

**TITAN ATEX Vacuums**  
[Page 42]



**Titan 2**  
Vacuum



**Titan 3 Phase**  
Vacuum



**Additional Heads & Tools** [Page 50]



**Ex-plorer Camera System** [Page 40]

SPACEVAC



ATEX PRO

50mm



Caution  
Do not connect electrical  
to not use in electrical areas  
or near overhead power lines

Higher. Faster. Safer.

**SVA50/EX-PRO**

**Whats Included: ATEX Pro 50mm / 2"**



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 50mm / 2"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 5.5
- Enclosed Pole Length: 10.4m / 34ft
- Max Working Height: 11.4m / 37ft

**ATEX Pro 50mm Pole Kit**

Contains: 5 x cleaning poles, 1x Half cleaning pole, Padded pole bag



**SVA50/16-PRO**  
5 x Conductive Pro Cleaning Pole  
50mm (2") x 1.6m (5ft 2")



**SVA50/08-PRO**  
1 x Conductive Pro Half Pole  
50mm (2") x 0.8m (2ft 6")



**SV-PB**  
Padded pole bag

**ATEX Pro 50mm Head Kit**

Contains: 4 x Cleaning Heads, 1 x Brush, 3 x Tools, 1 x Mesh bag



**SVA50/135H**  
Conductive 135  
Degree Head



**SVA50/15H**  
Conductive 15  
Degree Head



**SVA50/45H**  
Conductive 45  
Degree Head



**SVA50/90H**  
Conductive 90  
Degree Head



**SV/MB**  
1 x Mesh Bag



**SVA50/LRB**  
Conductive Large  
Round Brush



**SVA50/CN**  
Conductive Rubber  
Conical Nozzle



**SVA50/GN**  
Conductive Gulper  
Nozzle  
50mm / 2"



**SVA50/FLT400**  
Heavy Duty Flat  
Surface Tool  
400mm / 14"

**ATEX Pro 50mm Hose Kit**

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



**SVA50/50HA**  
1 x Conductive Hose  
to Pole Adaptor  
50mm / 2"



**SVA50/10H**  
Conductive HD  
rated Hose  
10m / 32ft



**SVA50/50HC**  
Vac Inlet Cuff  
50mm / 2"



**SV/HB**  
Hose Bag



**See More:**

Scan to find out more in our "Introduction to ATEX" video resource.



The SpaceVac Ultra cleaning system is our lightest, most durable pole ever - capable of reaching over 20m in height.

The ULTRA range provides unrivalled build quality and performance - delivering a pole that is lighter than our PRO pole, with increased rigidity thanks to an even stronger 12k carbon weave. This increase in stiffness and reduction in weight allows for operators to clean at our highest reach yet with ease.

The system is held securely in place with our unique safety locking mechanism and is equipped with a full range of conductive and anti-static cleaning accessories to ensure total conductivity from bristle to vacuum - ensuring total operator safety when removing combustible waste from industrial facilities.



Suggested Add-Ons:

TITAN ATEX Vacuums  
[Page 42]



Titan 2 Vacuum



Titan 2LP Vacuum

About our ATEX ULTRA Poles:

- **Appearance:** Full 2x2 Twill finish, including ground male section.
- **Make up:** High modulus carbon, 3k 2x2 twill carbon, & standard modulus carbon.
- **Weight:** 300 grams



Additional Heads & Tools [Page 50]



Ex-plorer Camera System [Page 40]

SPACEVAC

CE

38mm



Caution: High Voltage Electricity. Use only in electrical rooms. Please see the user manual for more information.

Higher. Faster. Safer.

SVA38/EX-ULTRA

Whats Included: ATEX Ultra 38mm / 1.5"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 38mm / 1.5"
- Carbon Material: 100% Carbon
- No of Poles enclosed: 9.5
- Enclosed Pole Length: 15m / 49ft
- Max Working Height: 16m / 52ft

ATEX Ultra 38mm Pole Kit

Contains: 9 x Cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SVA38/16-ULTRA  
9 x Conductive Ultra Cleaning Pole  
38mm (1.5") x 1.6m (5ft 2")



SVA38/08-ULTRA  
1 x Conductive Ultra Half Pole  
38mm (1.5") x 0.8m (2ft 6")



SV-PB  
Padded pole bag

ATEX Ultra 38mm Head Kit

Contains: 4 x Cleaning heads, 3 x Brushes, 1 x Tool, 1 x Mesh bag



SVA38/90H  
Conductive 90 Degree Head



SVA38/45H  
Conductive 45 Degree Head



SVA38/135H  
Conductive 135 Degree Head



SVA38/STR  
Straight Cleaning Head



SV/MB  
1 x Mesh Bag



SVA38/FLT  
Conductive Flat Surface Tool  
300mm / 12"



SVA38/4PB  
Small Pipe Brush  
100mm / 8"



SVA38/CT  
Crevice Tool



SVA38/LRB  
Conductive Large Round Brush

ATEX Ultra 38mm Hose Kit

Contains: 1 x Cuff, 1 x Hose, 1 x Adaptor, 1 x Hose bag



SVA38/HA-ULTRA  
Conductive Hose to Pole Adaptor



SVA38/10H-Ultra  
Conductive HD rated Hose  
10m / 32ft



SVA38/50HC-ULTRA  
Conductive Vac Inlet Cuff  
50mm / 2"



SV/HB  
Hose Bag



See More:

Scan to find out more in our "Introduction to ATEX" video resource.





**Bringing our market leading camera technology to specialist ATEX rated environments everywhere!**

Cleaning in combustible areas requires specialist equipment, specifically certified for safe usage in these areas.



Our new Explorer Extreme, is a fully conductive and ATEX certified version of our Explorer wireless camera - featuring the same impressive specifications as its standard Explorer counterpart.

Users can take advantage of 9 hour battery life, full 360 degree lens rotation and the ability to stream in high res 1080p video or take 10mp still photographs to evidence and monitor cleaning work.


- Specifications:**
- Stills: 12mp
  - Records At: 1080p HD
  - Battery Life: 9 hours
  - Waterproof: Yes
  - Waterproof Connections: Yes
  - Low Light Mode: Yes
  - Compatible with other devices: Yes
  - Remote Access Mode: Yes

**SVCAM/EXPLORER-KIT - Explorer Camera & Monitoring System**

					
SVCAM-EX-CAMERA ATEX Explorer Camera [Zone 22]	SVCAM-EX-MONITOR ATEX Phone Monitor [Zone 21/22]	SVCAM-CLAMP 2 x Camera and Monitor Tube Clamp	SVSCREEN-MOUNT Screen Mount	SV/CB Camera Bag	SV/QRC Camera and monitor Quick Release Clip



# SPECIALIST Industrial Vacuums



The Only Bright Spark Allowed.

## C2D2 Vacuums

**TITAN** a range of heavy duty industrial vacuums for the removal of combustible waste material from c2D2 certified areas.

Class leading filtration and powerful motors ensure that all Titans are reliable and ready to perform in critical environments.

### Key Features:

- » Powerful cleaning performance
- » Fully conductive, C2D2 certified
- » Market leading filtration
- » Durable steel construction
- » Compact and mobile
- » Easy to clean and maintain

## Key Sectors:

- Retail
- Education ✓
- Leisure & Tourism
- Transport and Logistics ✓
- Manufacturing ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Energy & Construction ✓

C2D2 certified combustible environments; Woodshops, bakeries, papermills, Food processing facilities, manufacturing facilities, storage silos, construction areas and many more.



Titan 1P



Titan 1



Titan 1C1D1

Specifications		Titan 1P	Titan 1	Titan 1C1D1
Certification		Class II Div. 2	Class II Div. 2	Class I&II, Div. 1&2
Voltage	V - Hz	110	110	110
Power	kW	1.1	1.1	0.9
Amps	A	14	14	14
Max air flow	m³/h / CFM	207 / 122	207 / 122	235 / 138
Suction inlet	mm	50	80	50
Noise level [EN ISO 3744]	dB(A)	78	74	80
Tool Holders		No	38mm/50mm	38mm/50mm

## ACD Vacuums

**MERCURY** a new range of vacuums certified for the removal of combustible particulate matter - such as wood or food dusts - from non ATEX zoned areas.

ACD is a new certification for specialist vacuums designed to deal with combustible dusts outside of a zone 21/22 classified environment as well as zone 20 internally - a unique feature in the ACD space!

### Key Features:

- » Powerful cleaning performance
- » Market leading filtration
- » Compact and mobile
- » Easy to handle
- » Durable steel construction
- » Easy to clean and maintain



## Key Sectors:

- Retail ✓
- Education ✓
- Leisure & Tourism ✓
- Transport and Logistics ✓
- Manufacturing ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Energy & Construction ✓

### Including:

Production Facilities - Paper, Wood, Plastic, Aluminium

Food Manufacturing - Sugar, Coffee, Flour



Mercury 1



Mercury 2

Specifications		Mercury 1	Mercury 2
EX Category		CE ACD	CE ACD
Voltage	V - Hz	110	110
Power	kW	2.3	2.3
Amps	A	16	15
Max air flow	m <sup>3</sup> /h / CFM	360 / 212	360 / 212
Suction inlet	mm	50	80
Noise level	dB[A]	74	74
Tool holders		No	38mm/50mm



## SPECIALIST Vacuums

In addition to our core range of industrial vacuums, SpaceVac also offers a range of **SPECIALIST** models designed to bring our high-level cleaning performance to operating environments such as cleanrooms.

The **SPECIALIST** range features air powered vacuums and models capable of removing dust, metal and pharmaceutical waste.

### Key Features:

- » Powerful cleaning performance
- » Market leading filtration
- » Compact and mobile
- » Easy to handle
- » Durable steel construction
- » Easy to clean and maintain



Pharma



Metal



Industrial 3Phase



Air Powered



Cleanroom

Specifications		Pharma	Metal	Industrial 3 Phase	Cleanroom	Air Power Wet/Dry
ATEX Zones						ATEX 1-2-21-22
Voltage	V - Hz	239	110	450	110	
Power	kW	2.2	2.3	4.6	1	
Amps	A [110/230]	n/a	18	n/a	8	
Max air flow	m <sup>3</sup> /h / CFM	299 / 176	480 / 283	499 / 294	175 / 103	300 / 176
Suction inlet	mm	50		80	40	80
Noise level	dB[A]	70	76	73	70	68
Tool holders		No	No	No	No	No

## Key Sectors:

- Retail ✓
- Education ✓
- Leisure & Tourism ✓
- Transport and Logistics ✓
- Manufacturing ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Energy & Construction ✓

Including: Computer Centres, Pharmaceutical Businesses, Hospitals, Laboratories, Precision Engineering and more.

Our Food Safe add-on pack has been developed to help cleaning teams and FMs to manage the risks of cross-contamination and pests attracted by the organic products often found in these areas,

Featuring a range of FDA approved cleaning heads - SpaceVac has created a unique solution for use with any SpaceVac ATEX cleaning system. Colour coded, the system is available in five different colours (green, blue, red, yellow and white) for use in different areas and featuring synthetic bristles guaranteed not to detach from the brush during use.

The five uniquely shaped brushes all feature our unique safety locking mechanism to ensure optimal performance and user safety.

**Ideal for use in:**

Any facility involved in the storage, processing or manufacturing of food and drink products


**Available Colours:**



Designed for use in industrial baking facilities, our oven kit is the perfect solution for removing crumbs, carbonised dirt and other waste from within large industrial ovens.

This durable add-on kit features a selection of heavy duty cleaning tools for the simple agitation and removal of waste without needing to access the inside of the oven - meaning cleaning work can be completed quicker and with minimal impact on production.

The system can be added to any SpaceVac ATEX cleaning system and is secured in firmly in place with our safety locking mechanism - ensuring no risk of components separating and falling within ovens while cleaning.



**SVA38/OVEN-KIT - 38mm [1.5"] Atex Oven Kit**

Contains: 3 x tools



SVA38/SSON  
Conductive  
Stainless Steel  
Nozzle



SVA38/SSRT  
Conductive  
Stainless Steel  
Round Tool



SVA38/SSCT  
Conductive  
Stainless Steel  
Crevice Tool



**ATEX Food Safe Head Kit**

Contains: 5 x Brushes, 1 x Mesh bag



SVA38/FSCONE  
Anti Static  
Nozzle  
Tool



SVA38/FSGN  
Anti Static  
Gulper  
Tool



SVA38/FSTB  
Anti Static  
Triangular  
Brush



SVA38/FSREC  
Anti Static  
Rectangular  
Brush



SVA38/FSRB  
Anti Static  
Round  
Brush



SV/MB  
1 x Mesh Bag





While SpaceVac was designed to assist users with high-level cleaning, our handy floor kits are the ideal solution for cleaning at lower levels too!

Available in two different diameters with a durable, heavy duty floor cleaning tool, the system adds onto most industrial vacuums and can quickly remove dust and dirt from floors in all internal areas.

Internal Version also available! See page 22 for details

### ATEX Under Racking Kits:

#### SVA38/URKIT- 38 mm / 1.5" Atex Under Racking kit

Contains: 1 x Cleaning Pole, 1 x Half Pole, 1 x Head, 1 x Tool , 1 x Adaptor



#### SVA50/URKIT- 50mm [2"] Atex Under Racking kit \$2,484.20

Contains: 1 x Cleaning Pole, 1 x Half Pole, 1 x Head, 1 x Tool , 1 x Adaptor



### ATEX Floor Kits:

#### SVA38/FL-KIT - 38mm [1.5"] Atex Floor Kit


Contains: 1 x Pole, 1 x head, 1 x Tool, 1 x Adaptor



#### SVA50/FL-KIT- 50mm [2"] Atex Floor Kit

Contains: 1 x Pole, 1 x head, 1 x Tool, 1 x Adaptor





### Anti-Static Accessories

[\*] Antistatic - An antistatic tool has a volume resistance <math><109</math> ohms, and/or with a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX Zone 22 Dust only.



**SVA38/15SW**  
Anti-Static Large Flexi-Brush\*  
380mm / 15"



**SVA38/85W**  
Anti-Static Flexi-Brush\*  
200mm / 8"



**SVA38/12DB**  
Anti-Static Ducting Brush\*  
300mm / 12"



**SVA38/24DB**  
Anti-Static Ducting Brush\*  
600mm / 24"



**SVA38/48DB**  
Anti-Static Ducting Brush\*  
1200mm / 48"



**SVA38/MRB**  
Anti-Static Medium Round Brush\*

### Conductive Accessories

[\*\*] Conductive - A conductive tool has a volume resistance <math><104</math> ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX zones 1, 2, 21 and 22



**SVA38/LRB**  
Conductive Large Round Brush



**SVA38/4PB**  
Conductive Pipe Brush\*\*  
100mm / 4"



**SVA38/8PB**  
Conductive Pipe Brush\*\*  
200mm / 8"



**SVA50/38PA**  
Conductive 50mm Adaptor\*\*

**SVA/HJ**  
Hose Joiner\*\*



**SV/SB-BLUE\***  
Set of 10 Silicon bands to affix to poles for ID purposes  
**NON CONDUCTIVE**  
\* Available in blue, red, white, yellow and green

# EXTERNAL

## Cleaning Systems

SpaceVacs External gutter cleaning systems offer a selection of durable tools for the fast and safe removal of blockages and waste material from external gutters and downpipes in domestic, commercial and industrial facilities.

Ideal for use in:



Retail



Education



Leisure &  
Tourism



Warehouse  
& Logistics



Manufacturing



FM/BSC



Medical/  
Pharma



Energy &  
Construction

### Systems Available:

- External **PROTEX** 50mm Page 54
- External **LITE** (50mm/2") Page 56
- External **CLASSIC** (50mm/2") Page 58
- Internal **PRO** (70mm/2.7") Page 60
- **UNIVERSAL** (50mm/2") Page 62
- External **Vacuums** Page 64
- External accessories Page 66

"Spacevac has been a blessing to us. It enables us to clean high-level areas in 25% of the time it took us prior to owning the system"

**CBRE (Italy)**



Working with carbon or aluminium reach poles near overhead electrically supply lines is extremely dangerous and has resulted in serious injury and loss of life.

SpaceVac's new External **PROTEX** system is non conductive throughout it's entire length, so you are never in contact with a potentially charged pole.

Independently tested by the University of Manchester to withstand charges up to 50,000v the **PROTEX** system is ideal for use when cleaning in environments when electrical arcing or direct contact is an identified risk.

Don't risk your life, use SpaceVac's **PROTEX** system



Independently tested by the University of Manchester



Suggested Add-Ons:

**NEPTUNE** External Vacuums  
[Page 64]



**Neptune 2**  
Vacuum



**Neptune 3**  
Vacuum



**Spacesuit**  
[Page 22]



**Explorer Camera System**  
[Page 18]

About our External **PROTEX** Poles:

- **Appearance:** High visibility red twill.
- **Make up:** Pre-impregnated glass composite material. Non-conductive and rated up to 50,000v.
- **Weight:** 467 grams

SPACEVAC

PROTEX  
50mm  
Manufactured in  
Great Britain  
SpaceVac  
Approved  
Category 4 Type  
Rated to withstand  
to 50,000V & 1.5m of  
wet die strength  
Poles are not  
to be used  
on live  
installations

Higher. Faster. Safer.

SV50/PROTEX

Whats Included: External **PROTEX** 50mm / 2" [\$2,282.72]



- Pole Length: 1.4m / 4ft 6"
- Pole Diameter: 50mm / 2"
- Carbon Material: Non Conductive Glass Fibre
- No of Poles enclosed: 4.5
- Enclosed Pole Length: 6.3m / 21ft
- Max Working Height: 7.3m / 24ft

**PROTEX 50mm Pole Kit**

Contains: 4 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



**SV50/14-HV**  
4 x Voltage Resistant Poles  
50mm [2"] x 1.4m [4ft 6"]

**SV50/07-HV**  
1 x Voltage Resistant Half Pole  
50mm [2"] x 0.7m [2ft 3"]

**SV-PB**  
Padded pole bag

**PROTEX 50mm Head Kit**

Contains: 1 x Cleaning head, 1 x Cleaning tool



**SV50/135H**  
135 Degree Head



**SV50/385T**  
Small Spike Tool  
38mm / 1.5"



**SV50/HVHA**  
Voltage Resistant  
Hose to Pole  
Adapter 50mm [2"]

**PROTEX 50mm Hose Kit**

Contains: 1 x Hose to pole adaptor



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



Additional Tools & Accessories Available

See page 66 for a full range of add-on tools and cleaning heads to expand the reach and functionality of your SpaceVac system!

A perfect introductory system for users looking to begin gutter cleaning services up to two stories high from the safety of the ground floor.

Perfect for cleaning domestic and smaller commercial properties - often as a complementary service to other external cleaning services - the External **LITE** comes equipped with 4.5 heavy duty cleaning poles along with 2 stainless steel spike tools for the agitation and removal of dirt, leaves, pine needles and other blockages - all held securely in place with our unique safety locking mechanism.

The system is the ideal entry point for window cleaners, pressure wash companies and other groundskeeping companies looking to offer additional services to their clients.



Suggested Add-Ons:

NEPTUNE External Vacuums  
(Page 64)



Neptune 2 Vacuum



Neptune 3 Vacuum



Spacesuit  
(Page 22)



Explorer Camera System  
(Page 18)

SPACEVAC LITE

50mm



Caution  
Cables Conducts Electricity  
Do not use in damp areas  
If the overhead power line

Higher. Faster. Safer.

SV50-FK-LITE

Whats Included: External Lite 50mm / 2" [\$2,617.81]



- Pole Length: 1.4m / 4ft 5"
- Pole Diameter: 50mm / 2"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 4.5
- Enclosed Pole Length: 6.3m / 20ft
- Max Working Height: 7.3m / 23ft

External Lite Pole Kit

Contains: 4 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SV50/14-LITE  
4 x External Lite Cleaning Pole  
50mm [2"] x 1.4m [4ft 6"]



SV50/07-LITE  
1 x External Lite Half Pole  
50mm [2"] x 0.7m [2ft 3"]



SV-PB  
Padded pole bag

External Lite Head Kit

Contains: 1 x Cleaning head, 2 x Cleaning tools



SV50/135H  
135 Degree Head



SV50/38ST  
Small Spike Tool  
38mm / 1.5"



SV50/50ST  
Large Spike Tool  
50mm / 2"

External Lite Hose Kit

Contains: 1 x Hose, 1 x Hose adaptor, 1 x Cuff, 1 x Hose bag



SV50/HA  
Hose to Pole Adaptor  
50mm [2"]



SV50/75H  
Hose  
7.5m [24ft] / 50mm [2"]



SV50/50HC  
Vac Inlet Cuff  
50mm / 2"



SV/HB  
Hose Bag



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



Additional Tools & Accessories Available

See page 66 for a full range of add-on tools and cleaning heads to expand the reach and functionality of your SpaceVac system!

Where it all began! Our External Classic cleaning system was the first of its kind to be launched and a decade later is still the market leader!


Providing a fast and cost effective method of cleaning blockages and build ups from external guttering and downpipes - the system is built around a wider 50mm (2") variant of our cleaning poles to provide increased airflow and less chance of blockages occurring when removing heavy duty waste.

The system is accessorised with a range of heavy duty stainless steel cleaning tools - all held safely in place with our unique safety locking mechanism.



About our External CLASSIC Poles:

- Appearance: Pure Carbon.
- Make up: Standard modulus carbon, 1 layer of clear glass.
- Weight: 425 grams



Suggested Add-Ons:

NEPTUNE External Vacuums  
(Page 64)



Neptune 2 Vacuum



Neptune 3 Vacuum



Spacesuit  
(Page 22)



Explorer Camera System  
(Page 18)

SPACEVAC CLASSIC

50mm



Manufactured in Great Britain



Caution Carbon Conducts Electricity Do not use in electrical work if not overcoat power line

Higher. Faster. Safer.

Whats Included: External Classic 50mm / 2"



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 50mm / 2"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 6.5
- Enclosed Pole Length: 10.4m / 34ft
- Max Working Height: 11.4m / 37ft

External Classic Pole Kit

Contains: 6 x Cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag



SV50/16-Classic  
6 x Classic Cleaning Pole  
50mm (2") x 1.6m (5ft 2")

SV50/08-Classic  
1 x Classic Half Cleaning Pole  
50mm (2") x 0.8m (2ft 6")

SV-PB  
Padded pole bag

External Classic Head Kit

Contains: 1 x Cleaning head, 4 x Cleaning tools



SV50/135H  
135 Degree Head



SV50/38ST  
Small Spike Tool  
38mm / 1.5"



SV50/50ST  
Large Spike Tool  
50mm / 2"



SV50/38RT  
Round Tool  
38mm / 1.5"



SV50/38CT  
Crevice Tool

External Classic Hose Kit

Contains: 1 x Hose, 1 x Adaptor, 1 x Cuff, 1 x Hose bag



SV50/HA  
Hose to Pole Adaptor  
50mm (2")



SV50/75H  
Hose  
7.5m (24ft) / 50mm (2")



SV50/50HC  
Vac Inlet Cuff  
50mm / 2"



SV/HB  
Hose Bag



See More:

Scan to watch an explainer video on the SpaceVac External system.



Additional Tools & Accessories Available

See page 66 for a full range of add-on tools and cleaning heads to expand the reach and functionality of your SpaceVac system!

Our External Pro has been designed for power users looking to remove heavy duty blockages and waste from guttering systems.

Featuring a super wide 70mm [2.7"] cleaning pole - the system provides our most powerful gutter cleaning system yet removing even the toughest build ups - including pine needles. The system comes equipped with a 70mm 135 degree cleaning head and a full set of stainless steel cleaning accessories for tackling blockages and build ups in gutters, downpipes, box guttering and other external areas.

The system is the ideal companion for the new SATURN petrol powered vacuum for use in external areas where access to power is an issue for cleaning teams.



Suggested Add-Ons:

NEPTUNE External Vacuums [Page 64]



Neptune3 Vacuum



Saturn Vacuum

About our External PRO Poles:

- Appearance: Black glass / Carbon
- Make up: Standard modulus carbon and glass composite materials
- Weight: 66g grams



Spacesuit [Page 22]



Explorer Camera System [Page 18]



Higher. Faster. Safer.

Whats Included: External Pro 70mm / 2.7"



- Pole Length: 1.4m / 4ft 6"
- Pole Diameter: 70mm / 2.7"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 6
- Enclosed Pole Length: 8.4m / 28ft
- Max Working Height: 9.4m / 31ft

External Pro Pole Kit

Contains: 6 x Cleaning poles, Padded Pole Bag



SV70/14-PRO  
6 x External Pro Cleaning Poles  
70mm [2.7"] x 1.4m [4ft 6"]



SV-PB  
Padded pole bag

External Pro Head Kit

Contains: 3 x Cleaning Heads, Adaptor, Protector, 2 tools, mesh bag



SV70/90H  
90 Degree Carbon Head  
70mm / 2.7"



SV70/135H  
135 Degree Aluminum Head  
70mm / 2.7"



SV70/45H  
45 Degree Carbon Head  
70mm / 2.7"



SV70/RN  
Round Carbon Cleaning Nozzle  
70mm / 2.7"

SV70/BP  
Bend Protector  
70mm / 2.7"



SV70/50RED  
70mm [2.7"] to 50mm [2"] Adaptor



SV50/50ST  
Large Spike Tool  
50mm / 2"



SV50/50CT  
Crevice Tool  
50mm / 2"



SV/MB  
1 x Mesh Bag



See More:

Scan to see the SpaceVac system in action on our Youtube channel.



External Pro Hose Kit

Contains: Adaptor, 2 x cuffs, 1 x Hose, 1 x Hose bag



SV70/HA  
Hose to Pole Adaptor  
70mm / 2.7"



SV70/5H  
Hose  
5m [15ft] / 70mm [2.7"]



SV70/70IC  
Vac Inlet Cuff  
70mm / 2.7"



SV70/HC  
Hose Cuff



SV/HB  
Hose Bag

**The most versatile SpaceVac yet - offering options for cleaning inside and out!**

The **UNIVERSAL** system is designed for cleaners and facilities managers looking to make the most of high-level cleaning both externally and internally. The system is built around a core of our 50mm [2"] cleaning poles and stainless steel cleaning tools for the removal of waste and organic materials from guttering and downpipes.

The system can also be used internally - with a 50-38mm convertor allowing the use of the full set of internal cleaning heads for internal dust removal as well.

The system is perfect for businesses looking to add multiple new revenue streams to their business in one investment!



**Suggested Add-Ons:**

**NEPTUNE External Vacuums**  
[Page 64]



**Neptune 2 Vacuum**



**Neptune 3 Vacuum**



**Spacesuit**  
[Page 22]



**Explorer Camera System**  
[Page 18]

SPACEVAC

CLASSIC

50mm



Manufactured in Great Britain



Caution  
Carbon Conducts Electricity  
Do not use in electrical work  
if not overhauled properly first

Higher. Faster. Safer.

**Whats Included: Universal 50mm / 2"**



- Pole Length: 1.6m / 5ft 2"
- Pole Diameter: 50mm / 2"
- Carbon Material: Glass Fibre / Carbon Fibre Composite
- No of Poles enclosed: 6.5
- Enclosed Pole Length: 10.4m / 34ft
- Max Working Height: 11.4m / 37ft

**Universal Pole Kit**

Contains: 6 x cleaning poles, 1 x Half cleaning pole, 1 x Padded pole bag, 1 x Adaptor



**SV50/16-Classic**  
6 x Classic Cleaning Pole  
50mm [2"] x 1.6m [5ft 2"]

**SV50/08-Classic**  
1 x Classic Half Pole  
50mm [2"] x 0.8m [2ft 6"]

**SV50/38PA**  
50mm [2"] to 38mm [1.5"] Adaptor

**SV-PB**  
Padded pole bag

**Universal Head Kit**

Contains: 5 cleaning heads, 5 x brushes, 4 x tools, 1 x Mesh bag



**SV50/135H**  
135 Degree Head

**SV50/38ST**  
Small Spike Tool  
38mm / 1.5"

**SV50/50ST**  
Large Spike Tool  
50mm / 2"

**SV50/38RT**  
Round Tool  
38mm / 1.5"

**SV50/38CT**  
Crevice Tool

**SV38/90H**  
90 Degree Cleaning Head

**SV38/135H**  
135 Degree Cleaning Head

**SV38/45H**  
45 Degree Cleaning Head

**SV38/STR**  
Straight Head

**SV38/12DB**  
Ducting Brush  
300mm [12"]

**SV38/85W**  
Small Flexi Brush  
200mm [8"]

**SV38/SRB**  
Small Round Brush

**SV38/FLT**  
Flat Surface Tool  
300mm [12"]

**SV38/15SW**  
Large Flexi Brush  
380mm [15"]

**SV/MB**  
1 x Mesh Bag

**Universal Hose Kit**

Contains: 1 x Adaptor, 1 x Cuff, 1 x Hose, 1 x Hose bag



**SV50/HA**  
Hose to Pole Adaptor  
50mm [2"]

**SV50/75H**  
Hose  
7.5m [24ft] / 50mm [2"]

**SV50/50HC**  
Vac Inlet Cuff  
50mm / 2"

**SV/HB**  
Hose Bag



**See More:**  
Scan to watch our explainer animation.



# EXTERNAL Vacuums



Long Lasting Cleaning Performance



## External Vacuums

**NEPTUNE** our range of powerful wet/dry industrial vacuums for the removal of blockages and organic waste found in external guttering and downpipes.

Ideal for use in domestic, commercial and industrial properties, the **NEPTUNE** range has been manufactured to be durable and reliable in the toughest of conditions, time after time. The key reason we offer a 2 Year Warranty.

### Key Features:

- » Powerful by-pass motors
- » Sequential starting switches
- » Independent cooling
- » Durable steel construction
- » Compact and mobile
- » Easy to clean and maintain



Saturn



Neptune 2



Neptune 3

### Specifications

		Saturn	Neptune 2	Neptune 3
Voltage	V - Hz	n/a	110	110
Power	kW	5.5kW	2	2.3
Amps	A	n/a	16	18
Max air flow	m <sup>3</sup> /h / CFM	700 / 412	360 / 212	480 / 283
Noise level [EN ISO 3744]	dB[A]	87	76	76
Tool Holders		No	Tools only	Tools only

### Key Sectors:

- Retail ✓
- Education ✓
- Leisure & Tourism ✓
- Transport and Logistics ✓
- Manufacturing ✓
- FM/BSC ✓
- Healthcare & Pharma ✓
- Energy & Construction ✓

Suitable for use in any building with external guttering and downpipes including: Schools, Colleges, Warehouses, Churches, Hotels, Theme Parks, Hospitals and Domestic properties.

External Accessories



SV50/15H  
15 Degree Cleaning  
Head



SV50/45H  
45 Degree Cleaning  
Head



SV50/90H  
90 Degree Cleaning  
Head



SV50/180H  
180 Degree Cleaning  
Head



SV50/BGH  
Box Gutter Head



SV50/PMT  
Plastic Moss  
Cleaning Tool



SV50/50ST-CD  
Composite Gutter  
Spike Tool



SV50/AMT  
Aluminum Moss  
Cleaning Tool




SV50/SS  
Silicon sleeve  
(cobweb/sludge  
removal)



SV50/BRT  
Branch Removal  
Tool

SV50/50RT-CD  
50mm composite  
gutter tool round  
end

Find Out More:  
Scan to visit our youtube channel  
to see SpaceVac in action!





## Contact Us Today!

SpaceVacs products are available in over 50 countries worldwide - be sure to reach out to us today to discuss your requirements with us in detail and be connected with your local SpaceVac representative:

W: [spacevac.us](http://spacevac.us)  
E: [info@spacevac.us](mailto:info@spacevac.us)  
T: 561-542-0065

Or connect with us on Social Media:



#TeamSpaceVac



## Find Out More:

**SpaceVac Incorporated**

150 N. Michigan Avenue. Illinois, 60601.

W: [spacevac.us](http://spacevac.us)

E: [info@spacevac.us](mailto:info@spacevac.us)

T: 561-542-0065

Or connect with #TeamSpaceVac on Social Media:

